KOCKNEY KOI

SAFETY DATA SHEET

Parasite Killer

1. Identification of the substance/and the company.

Product name: Parasite Killer

Company: Kockney Koi

48 Herbert road Emerson Park Hornchurch RM11 3LJ

Tel 08448000000 Fax 08448000001

2. Composition

Contains: This is an aqueous dark blue/green solution with very

acute smell.

Contains Formaldehyde is a category 3 carcinogen. Toxic by inhalations, ingestion and skin contact. Causes burns, irritating to respiratory system. Possible risk of irreversible effects, may cause skin sensitization. Stains clothing and skin.

3. First Aid Measures (symptoms)

Inhalation Coughing, wheezing, shortness of breath, irritation of breathing

passages. Remove from exposure, rest and keep warm. Seek

medical attention.

Skin Contact Irritation, reddening, drench the skin with plenty of water.

Remove contaminated clothing. Seek medical attention.

Eye Contact Blistering, reddening, watering. Irrigate thoroughly with water

for at least 10 minutes. Seek medical attention.

Ingestion Nausea, vomiting. Wash out mouth with water. Do not induce

vomiting. If patient is conscious give water to drink. Seek

medical attention.

4. First Aid Measures (action)

Skin Contact: Wash immediately with plenty of soap and water.

Eye Contact: Bathe the eye with running water for 15 minutes.

Do not induce vomiting. Wash out mouth with water.

5. Fire fighting measures

Spillage Wash down with water wearing masks and gloves. Dispose of

as per local regulations.

Fire Extinguishers, carbon dioxide dry chemical, use breathing

apparatus. Product is not flammable.

KOCKNEY KOI

SAFETY DATA SHEET

Parasite Killer

6. Accidental release measures

Environmental precautions: Do not discharge into drains or rivers. Clean up procedure: Absorb into dry earth or sand.

7. Handling and Storage

Storage conditions: Store in cool, well ventilated area. Keep container tightly

closed, keep away from direct sunlight

Suitable Packaging: Keep in original packaging.

8. Exposure controls/Personal Protection

Airborne Exposure Limits:

-OSHA Permissible Exposure Limit (PEL):

0.75 ppm (TWA), 2 ppm (STEL), 0.5 ppm (TWA) action level for formaldehyde

200 ppm (TWA) for methanol

-ACGIH Threshold Limit Value (TLV):

0.3 ppm Ceiling formaldehyde, Sensitizer, A2 Suspected Human Carcinogen

200 ppm (TWA) 250 ppm (STEL) skin for methanol

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation*, *A Manual of Recommended*

9. Physical and Chemical Properties

State: Liquid

Colour Dark Blue Green
Odour Acute & Distinctive

Evaporation Rate N/A
Solubility in Water Soluble
Viscosity Low

10. Stability and Reactivity

Stability Stable under normal conditions

Conditions to Avoid Direct Sunlight Heat
Materials to avoid Strong Oxidising Agents

KOCKNEY KOI

SAFETY DATA SHEET

Parasite Killer

11. Toxicological Information

Formaldehyde: Oral rat LD50: 100 mg/kg; skin rabbit LD50: 270 uL/kg, Irritation data: eye, rabbit, 750ug Severe; inhalation rat LC50: 203 mg/m3; investigated as a tumorigen, mutagen, reproductive effector; Cancer Status: an OSHA regulated carcinogen. Methanol: oral rat LD50: 5628 mg/kg; inhalation rat LC50: 64000 ppm/4H; skin rabbit LD50: 15800 mg/kg; investigated as a tumorigen, mutagen, reproductive effector.

12. Ecological Information

Mobility: Non volatile Degradability: Good

13.Disposal Considerations

Disposal: dispose as directed by local legislation

14.Transport Information

ADR/RID IMDG/IMO IATA/ICAO

15.Regulatory Information

Hazard Symbols No significant Hazard Safety Phrases R20,21,22 S1/2

16.Other Information

Legal Disclaimer: The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.